



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/593,948

09/22/2006

Chandrasekaran Margam

7843P009

5445

8791

7590

03/06/2009

BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP  
1279 OAKMEAD PARKWAY  
SUNNYVALE, CA 94085-4040

EXAMINER

YEAGER, RAYMOND P

ART UNIT

PAPER NUMBER

4121

MAIL DATE

DELIVERY MODE

03/06/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

|                              |                                      |                                      |  |
|------------------------------|--------------------------------------|--------------------------------------|--|
| <b>Office Action Summary</b> | <b>Application No.</b><br>10/593,948 | <b>Applicant(s)</b><br>MARGAM ET AL. |  |
|                              | <b>Examiner</b><br>RAYMOND P. YEAGER | <b>Art Unit</b><br>4121              |  |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 22 September 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☒ Claim(s) 1-25 are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

Application 10/593,948 (09/22/2006) is a national stage entry of PCT/SG05/00087 per 35 USC 371 and claims foreign priority to Singapore application 200401544-2 (03/22/2004) per 35 USC 119. Claims 1 to 25 are pending.

### ***Election/Restrictions***

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

- Group I, claims 1 to 7 and 24 to 25, drawn to *a scaffold*.
- Group II, claim(s) 8 to 23, drawn to *a method of fabrication of a scaffold*.

2. As set forth in Rule 13.1 of the Patent Cooperation Treaty (PCT), “the international application shall relate to one invention only or to a group of inventions so linked as to form a single general inventive concept.” Moreover, as stated in PCT rule 13.2, “Where a group of inventions is claimed in one and the same international application, the requirement of unity of invention referred to in Rule 13.1 shall be fulfilled only when there is a technical relationship among those inventions involving one or more of the same or corresponding special technical features.” Furthermore, Rule 13.2 defines “special technical features” as “those technical features that define a

Art Unit: 4121

contribution which each of the claimed inventions, considered as a whole, makes over the prior art”

3. The inventions listed as Groups I-II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons.

The special technical feature of Groups I-II is a *scaffold comprised of two polymers with different dissolution rates, leaching rates, and degradation rates*. The *scaffold* of claim I does not present a contribution over the prior art. As disclosed in US Patent application 2003/0097180 (publication date: 05/22/2003, Filing Date: 11/20/2001), hereafter referred to as the ‘180 publication, the *scaffold* of instant claim 1 is not novel.

- **Instant claim 1:** “*A scaffold for at least one of: tissue regeneration and bone growth;*” – The ‘180 publication claims a joint prosthesis system (page 4, claim 1) which provides an example wherein the joint prosthesis system comprises porous scaffolds (page 4, paragraph 42). The ‘180 publication discloses a preferred embodiment which can be coated with a bone growth promoting substance (page 2, paragraph 20 and claims 14 and 21). Coating the apparatus would be obvious to one of ordinary skill in the art to facilitate ossification (page 2, paragraph 20 and claims 14 and 21).

- “*the scaffold being fabricated from at least two polymers;*” – The ‘180 publication claims a joint prosthesis system (claim 1) comprising a cylindrical bioabsorbable

spacer (claim 2) which comprises bioabsorbable components (claim 4) which comprise two compounds (claim 7), a first polymer and a second polymer (claim 9).

○ *“a first polymer of the at least two polymers being able to be leached by a solvent, and”* – The instant application does not define leaching but discloses the polymers may be leached (or removed) by a solvent. (page 3, paragraph 2). While the applicant does not define solvent the applicant claims organic and inorganic solvents (instant application, claim 6). Though the instant application does not explicitly teach the leaching of the first polymer in solvent, the ‘180 application discloses an embodiment wherein the scaffolds, and in turn the polymers, degrade *in vivo* (page 3 paragraph 40 to page 4, paragraph 40).

○ *“all other polymers of the at least two polymers being selected from the group consisting of: inert to the solvent, and having a lower dissolution rate in the solvent, wherein leaching of the first polymer is controlled so that leaching is maximized at a surface of the scaffold, and minimized at a core of the scaffold.”* – The ‘180 application discloses a process of treating a joint injury by building at least one connector with a cylindrical bioabsorbable space (claim 23 and 24) wherein the bioabsorbable spacer comprises a “first polymer coated with a second polymer that degrades faster in tissue than said first polymer (claim 31).” In this case, the first polymer in the instant application correlates to the second polymer in the ‘180 application and the second polymer in the instant application correlates to the first polymer in the ‘180 application.

Art Unit: 4121

As such, Group I does not share a special technical feature with the instant claims of Group II. Therefore, the claims are not so linked with the meaning of PCT Rule 13.2 so as to form a single inventive concept, and unity between Groups I-II is broken.

4. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

5. The examiner has required restriction between product and process claims. Where applicant elects claims directed to the product, and the product claims are subsequently found allowable, withdrawn process claims that depend from or otherwise require all the limitations of the allowable product claim will be considered for rejoinder. All claims directed to a nonelected process invention must require all the limitations of an allowable product claim for that process invention to be rejoined.

In the event of rejoinder, the requirement for restriction between the product claims and the rejoined process claims will be withdrawn, and the rejoined process claims will be fully examined for patentability in accordance with 37 CFR 1.104. Thus, to be allowable, the rejoined claims must meet all criteria for patentability including the requirements of 35 U.S.C. 101, 102, 103 and 112. Until all claims to the elected product are found allowable, an otherwise proper restriction requirement between product claims and process claims may be maintained. Withdrawn process claims that are not

Art Unit: 4121

commensurate in scope with an allowable product claim will not be rejoined. See MPEP § 821.04(b). Additionally, in order to retain the right to rejoinder in accordance with the above policy, applicant is advised that the process claims should be amended during prosecution to require the limitations of the product claims. **Failure to do so may result in a loss of the right to rejoinder.** Further, note that the prohibition against double patenting rejections of 35 U.S.C. 121 does not apply where the restriction requirement is withdrawn by the examiner before the patent issues. See MPEP § 804.01.

6. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

### ***Conclusion***

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to RAYMOND P. YEAGER whose telephone number is (571)270-7681. The examiner can normally be reached on Mon - Fri 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Nolan can be reached on (571) 272-0847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 4121

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

R.P.Y.

/Patrick J. Nolan/  
Supervisory Patent Examiner, Art Unit 4121